

**ACMI #2000
NON-POROUS
STAMP PAD
STENCIL**

Description: ACMI #2000 was formulated for marking glass, plastics, metals, film, foil and other nonporous substrates, as well as porous substrates. This ink has excellent resistance to petroleum solvents and trichlorethylene. #2000 can be used for marking oily auto parts. Meets: CID A-A-208b Types I & IV Formerly: TT-I-1795a

<u>SPECIFICATIONS:</u>	Also available in a **higher viscosity version #2000SS for silk screen
<u>Applications:</u>	Rubber Stamp from foam stamp pad. Stencil roller with pad or brush, may also be used in airbrush.
<u>Viscosity:</u>	38 cps - **1500-2000 cps
<u>Specific Gravity:</u>	1.20
<u>Weight per Gallon:</u>	10.0 lbs.
<u>Flashpoint:</u>	46° F.
<u>Dry Time:</u>	75-105 seconds Variations in temperature, humidity & film thickness affect dry time.
<u>Shelf Life & Storage:</u>	Use within 1 year is recommended. Ink should be stored at normal room temperature and capped tightly after each use.
<u>Chemical Base:</u>	Solvent
<u>Colorant Base:</u>	Pigment
<u>Reconditioner</u>	ACMI #2000 Reconditioner
<u>Colors:</u>	Black, Gray, Red, Pink, White, Blue, Gold, Yellow, Orange, Green, Brown, Maroon, Magenta
<u>Availability:</u>	Pints, Quarts and Gallons Smaller sizes available on request (minimums apply)

STATEMENT OF LIABILITY

Neither the manufacturer nor the seller shall be liable for any injury, loss or damage arising out of the use of this product. The only obligations of the manufacturer or the seller shall be to replace any quantity of this product found to be defective or, at the option of the seller or manufacturer, to refund the purchase price. The purchaser or user of this product should before use of this product, determine whether it is suitable for that use. The user assumes all risk and liability with that use.

THE FOREGOING IS IN LIEU OF ALL OTHER WARRANTIES EXPRESSED OR IMPLIED

American Coding & Marking Ink Co. Inc.

1220 North Avenue, Plainfield, NJ 07062

Phone: 908-756-0373 Fax: 908-756-0570 Web Site: www.americancoding.com